

## HCB HANGING SCALES



### Specifications

- Display: LCD Display: Digit Height 12mm
- Weight Units: Kg, Lb and N
- Functions: AUTO-OFF function after 3 min without a change of load to preserve the battery, can be switched off
- Hold Function: Weight display can be "frozen" for 5 sec or until any key is pressed
- Peak Load Display: Display the highest load value of weighing, measuring frequency 5 Hz
- Nett Weight: 400g
- Battery: Size AA (2 x 1.5V) operating time approximately 300h
- Dimensions of Body (without hook): 80 x 45 x 150mm
- Total Length with Snap Link and S-hook (Stainless Steel): 290mm
- HCBDKD (Certificate): Available with Internationally valid DKD Calibration Certificate for Balances
- Warranty: Two Years



The Courtyard  
Steepmarsh – Petersfield  
Hampshire GU32 2BJ  
United Kingdom  
T : (00 44) (0) 1730 897 100  
F : (00 44) (0) 1730 897 103

### Hanging Scale Ref: HCB50K100

- Measuring range max: 50Kg
- Readout d: 100g
- Reproducibility : 1000g
- Linearity: ± 200g
- Temperature sensitivity °C :  $10 \times 10^{-6}$

#### Technical data about verification

- Verification by Kern possible: 0

#### Part counting

#### Conditions of environment

- Permissible ambient temperature: 5°C - 35°C
- Permissible ambient humidity: 80%rH

#### Balance features

- Protective work cover: 0
- Battery operation: 2 x 1.5V AA (=3V)  
Working period 300 h
- Auto Off function: 3 mn
- Display type: LCD
- Display Height: 12mm
- Weight units: Kg, lb, N
- Freely programmable weighing units: 0
- Internal adjusting weight: 0
- Recommended adjusting weight: 20 Kg (M3)
- Stand by function: 0

#### Volume / Materials / Weights

- Volume casing W x D x H mm: 80 x 45 x 150 mm (without hook)
- Casing material: Plastic
- Volume packaging W X D X H mm: 120 x 70 x 220 mm
- Gross Weight Kg: 1
- Net weight : 0.4000

### Hanging Scale Ref: HCB100K200

- Measuring range max: 100Kg
- Readout d: 200g
- Reproducibility : 200g
- Linearity: ± 400g
- Temperature sensitivity °C :  $10 \times 10^{-6}$

#### Technical data about verification

- Verification by Kern possible: 0

#### Part counting

#### Conditions of environment

- Permissible ambient temperature: 5°C - 35°C
- Permissible ambient humidity: 80%rH

#### Balance features

- Protective work cover: 0
- Battery operation: 2 x 1.5V AA (=3V)  
Working period 300 h
- Auto Off function: 3 mn
- Display type: LCD
- Display Height: 12mm
- Weight units: Kg, lb, N
- Freely programmable weighing units: 0
- Internal adjusting weight: 0
- Recommended adjusting weight: 50 Kg (M3)
- Stand by function: 0

#### Volume / Materials / Weights

- Volume casing W x D x H mm: 80 x 45 x 150 mm (without hook)
- Casing material: Plastic
- Volume packaging W X D X H mm: 120 x 70 x 220 mm
- Gross Weight Kg: 1
- Net weight : 0.4000

### Hanging Scale Ref: HCB200K500

- Measuring range max: 200Kg
- Readout d: 500g
- Reproducibility: 500g
- Linearity:  $\pm 1\text{Kg}$
- Temperature sensitivity  $^{\circ}\text{C}$ :  $10 \cdot 10^{-6}$

### Technical data about verification

- Verification by Kern possible: 0

### Part counting

### Conditions of environment

- Permissible ambient temperature:  $5^{\circ}\text{C} - 35^{\circ}\text{C}$
- Permissible ambient humidity: 80%rH

### Balance features

- Protective work cover: 0
- Battery operation: 2 x 1.5V AA (=3V)  
Working period 300 h
- Auto Off function: 3 mn
- Display type: LCD
- Display Height: 12mm
- Weight units: Kg, lb, N
- Freely programmable weighing units: 0
- Internal adjusting weight: 0
- Recommended adjusting weight: 100 Kg (M3)
- Stand by function: 0

### Volume / Materials / Weights

- Volume casing W x D x H mm: 80 x 45 x 150 mm (without hook)
- Casing material: Plastic
- Volume packaging W X D X H mm: 120 x 70 x 220 mm
- Gross Weight Kg: 1
- Net weight : 0.4000



#### AVAILABILITY

► 10 to 14 working days after receipt of payment

#### DELIVERY by courier

► depending on the weight

#### PAYMENT

► In advance before shipment